

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (currently amended) An isolated agonist anti-trkC antibody comprising a heavy chain CDRs comprising:

(a) a CDR1 of the formula GYTFTSYXaaXaaH (SEQ ID NO:16), wherein Xaa at position 8 is R or W, and Xaa at position 9 is I, L, R, or M;

(b) a CDR2 of the formula EIYPSNXaaRTNYNEKFxXaaS (SEQ ID NO:17), wherein Xaa at position 7 is A, T, S, or G; and Xaa at position 16 is K or E; and

(c) a CDR3 of the formula KYYYGNXaaXaaRSWYFDV (SEQ ID NO:18), wherein Xaa at position 7 is T or S; wherein Xaa at position 8 is R, Q, K, S, or Y; wherein the agonist anti-trkC antibody is not an antibody comprising a heavy chain CDRs comprising a CDR1 region of SEQ ID NO:22, a CDR2 region of SEQ ID NO:23, and a CDR3 region of SEQ ID NO:24.

2. (currently amended) The isolated agonist anti-trkC antibody of claim 1, wherein the agonist anti-trkC antibody further comprises a light chain variable region.

3. (currently amended) An isolated agonist anti-trkC antibody comprising a light chain CDRs comprising:

(a) a CDR1 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;

(b) a CDR2 of the formula AASNxXaaGS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and

(c) a CDR3 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the agonist anti-trkC antibody is not an antibody comprising a light chain CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27.

4. (currently amended) The isolated agonist anti-trkC antibody of claim 1, wherein the agonist anti-trkC antibody further comprises a heavy chain variable region.

5. (currently amended) An isolated agonist anti-trkC antibody comprising:

(a) a heavy chain CDRs comprising:

(i) a CDR1 of the formula GYTFTSYXaaXaaH (SEQ ID NO:16), wherein Xaa at position 8 is R or W, and Xaa at position 9 is I, L, R, or M;

(ii) a CDR2 of the formula EIYPSNXaaRTNYNEKFxaaS (SEQ ID NO:17), wherein Xaa at position 7 is A, T, S, or G; and Xaa at position 16 is K or E; and

(iii) a CDR3 of the formula KYYYGNXaaXaaRSWYFDV (SEQ ID NO:18), wherein Xaa at position 7 is T or S; wherein Xaa at position 8 is R, Q, K, S, or Y; and

(b) a light chain CDRs comprising:

(i) a CDR1 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;

(ii) a CDR2 of the formula AASNxaaS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and

(iii) a CDR 3 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the agonist anti-trkC antibody is not an antibody comprising (a) a heavy chain CDRs comprising a CDR1 region of SEQ ID NO:22, a CDR2 region of SEQ ID NO:23, and a CDR3 region of SEQ ID NO:24; and (b) a light chain CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27.

6. (currently amended) The isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody binds human trkC.
7. (currently amended) The isolated agonist anti-trkC antibody of claim 6, wherein the agonist anti-trkC antibody binds to human trkC with a K_D less than about 5 nM.
8. (currently amended) The isolated agonist anti-trkC antibody of claim 6, wherein the agonist anti-trkC antibody further binds rodent trkC.
9. (currently amended) The isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody is a monoclonal antibody.
10. (currently amended) The isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody is a humanized antibody.
11. (currently amended) The isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody comprises a heavy chain variable region comprising:
- (a) a CDR1 region of SEQ ID NO:4;
 - (b) a CDR2 region of SEQ ID NO:5; and
 - (c) a CDR3 region of SEQ ID NO:6.
12. (currently amended) The isolated agonist anti-trkC antibody of claim 11, wherein the heavy chain variable region consists of the sequence of SEQ ID NO:1.
13. (currently amended) The isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody comprises a light chain variable region comprising:

- (a) a CDR1 region of SEQ ID NO:7;
- (b) a CDR2 region of SEQ ID NO:8; and
- (c) a CDR3 region of SEQ ID NO:9.

14. (currently amended) The isolated agonist anti-trkC antibody of claim 13, wherein the light chain variable region consists of the sequence of SEQ ID NO:2.

15. (currently amended) The An isolated agonist anti-trkC antibody of any of claims 1-5, wherein the agonist anti-trkC antibody comprises

- (a) a heavy chain variable region comprising:
 - (i) a CDR1 region of SEQ ID NO:4;
 - (ii) a CDR2 region of SEQ ID NO:5; and
 - (iii) a CDR3 region of SEQ ID NO:6; and
- (b) a light chain variable region comprising:
 - (i) a CDR1 region of SEQ ID NO:7;
 - (b) a CDR2 region of SEQ ID NO:8; and
 - (c) a CDR3 region of SEQ ID NO:9.

16. (currently amended) The isolated agonist anti-trkC antibody of claim 15, wherein the heavy chain variable region consists of SEQ ID NO:1, and the light chain variable region consists of the sequence of SEQ ID NO:2.

17. (currently amended) The isolated agonist anti-trkC antibody of claim 15, wherein the heavy chain consists of the sequence of SEQ ID NO:28, and the light chain variable region consists of the sequence of SEQ ID NO:29.

18. (withdrawn) A nucleic acid encoding an agonist anti-trkC antibody of any of claims 1-17.

19. (withdrawn) The nucleic acid of claim 18, wherein the nucleic acid comprises the sequence of SEQ ID NO:12 encoding the heavy chain variable

region of the agonist anti-trkC antibody, and the sequence of SEQ ID NO:10 encoding the light chain variable region of the agonist anti-trkC antibody.

20. (withdrawn) The nucleic acid of claim 19, wherein the nucleic acid comprises the sequence of SEQ ID NO:13 encoding the heavy chain of the agonist anti-trkC antibody, and the sequence of SEQ ID NO:11 encoding the light chain variable region of the agonist anti-trkC antibody.

21. (withdrawn) A vector comprising the nucleic acid of claim 18.

22. (withdrawn) A host cell comprising the nucleic acid of claim 18.

23. (currently amended) A pharmaceutical composition comprising (a) an effective amount of the agonist anti-trkC antibody of ~~any of claims 1-17~~ claim 1 or claim 15 and (b) a pharmaceutical acceptable excipient.

24. (currently amended) A kit comprising the agonist anti-trkC antibody of ~~any of claims 1-17~~ claim 1 or claim 15.

25. (withdrawn) A method of making an agonist anti-trkC antibody, said method comprising expressing a polynucleotide encoding the agonist anti-trkC antibody of any of claims 1-17 in a host cell.

26. (currently amended) A An isolated polypeptide that binds to trkC, comprising:

(a) a CDR1 of the formula GYTFTSYXaaXaaH (SEQ ID NO:16), wherein Xaa at position 8 is R or W, and Xaa at position 9 is I, L, R, or M;

(b) a CDR2 of the formula EIYPSNXaaRTNYNEKFXaaS (SEQ ID NO:17), wherein Xaa at position 7 is A, T, S, or G; and Xaa at position 16 is K or E; and

(c) a CDR3 of the formula KYYYGNXaaXaaRSWYFDV (SEQ ID NO:18), wherein Xaa at position 7 is T or S; wherein Xaa at position 8 is R, Q, K, S, or Y;

wherein the polypeptide is not a polypeptide comprising CDRs comprising a CDR1 region of SEQ ID NO:22, a CDR2 region of SEQ ID NO:23, and a CDR3 region of SEQ ID NO:24.

27. (currently amended) A An isolated polypeptide that binds to trkC, comprising:

(a) a CDR1 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;

(b) a CDR2 of the formula AASNXaaGS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and

(c) a CDR3 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the polypeptide is not a polypeptide comprising CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27.